


Feb 20, 2018

SHINTARO MIZUKAMI

MTBF計算値 Calculated Values of MTBF

MODEL : SUCS1R5053R3



1. MTBF値 MTBF Values

Load Factor : 50%

Ambient temperature : 25 degC

MTBF = 42,281,401 [hours]

Load Factor : 50%

Ambient temperature : 40 degC

MTBF = 21,713,630 [hours]

Load Factor : 50%

Ambient temperature : 85 degC

MTBF = 2,294,127 [hours]

2. 算出方法 Calculating Method

Telcordiaの部品ストレス解析法^(*)で算出されています。
Calculated based on parts stress reliability projection
of Telcordia^(*).

* : Telcordia "Reliability Prediction Procedure
for Electronic Equipment"
(Document number SR-332, Issue 4)

条件 Conditions : Environment GB
(Ground Fixed, Controlled)