

*****Cosmos Corp*****

<<< Radiated Emission >>>

17 December, 1996 12:23

Page 1

Model : LDC60F-2
 Serial No. : 635226501S
 Standard : EN55022 Class B
 Condition File : 10m
 Condition : Operated
 Remarks : EMI Test Receiver : ESVS (ROHDE&SCHWARZ) /
 : Spectrum Analyzer: FSB (ROHDE&SCHWARZ) /
 : EMI Test System : TS9949 (TOYO) /
 AC Power : 230 V 50 Hz
 Temperature : 14 deg.
 Humidity : 78 %
 Operator : H. Wakabayashi


----- Final Result -----





- Horizontal Polarization -


No.	Frequency [MHz]	Reading [dBuV]	c.f. [dB]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]
1	137.742	29.7	-15.8	13.9	30.0	16.1
2	225.832	26.2	-16.2	10.0	30.0	20.0





- Vertical Polarization -



No.	Frequency [MHz]	Reading [dBuV]	c.f. [dB]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]
3	63.834	30.8	-22.0	8.8	30.0	21.2
4	112.040	31.6	-16.1	15.5	30.0	14.5
5	158.578	33.4	-16.8	16.6	30.0	13.4











***** Cosmos Corp. *****
 <<< Conducted Emission >>>

17 December, 1996 15:04

Page 1

Model : LDC60F-2
 Serial No. : 635226501S
 Standard : EN55022 Class B
 Condition File : EN55022
 Remark : Operated
 :
 :
 :
 AC Power : 230 V 50 Hz
 Temperature : 14 deg.
 Humidity : 83 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency [MHz]	Reading		c.f. [dB]	Result		Limit		Margin	
		QP [dBuV]	AV [dBuV]		QP [dBuV]	AV [dBuV]	QP [dBuV]	AV [dBuV]	QP [dB]	AV [dB]
Phase N										
1	0.15561	44.1	34.0	9.9	54.0	43.9	65.7	55.7	11.7	11.8
2	0.27671	33.8	29.4	9.8	43.6	39.2	60.9	50.9	17.3	11.7
3	0.46524	21.9	16.8	10.0	31.9	26.8	56.6	46.6	24.7	19.8
4	2.99590	14.3	1.4	10.0	24.3	11.4	56.0	46.0	31.7	34.6

Cosmos Corp.


EMC Labo.

<<< Conducted Emission >>>

Date: 17 December, 1996

Model : LDC60F-2
Serial No. : 635226501S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi




Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 17 December, 1996 15:00

Model : LDC60F-2
Serial No. : 635226501S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



***** Cosmos Corp. *****
 <<< Conducted Emission >>>

17 December, 1996 15:11

Page 1

Model : LDC60F-2
 Serial No. : 635226501S
 Standard : EN55022 Class B
 Condition File : EN55022
 : Operated
 Remark :
 :
 :
 AC Power : 230 V 50 Hz
 Temperature : 14 deg.
 Humidity : 83 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency	Reading		c.f.	Result		Limit		Margin	
		QP	AV		QP	AV	QP	AV	QP	AV
	[MHz]	[dBuV]	[dBuV]	[dB]	[dBuV]	[dBuV]	[dBuV]	[dBuV]	[dB]	[dB]
Phase L1										
1	0.15492	42.6	28.9	9.9	52.5	38.8	65.7	55.7	13.2	16.9
2	0.27998	33.6	27.0	9.8	43.4	36.8	60.8	50.8	17.4	14.0
3	0.46722	21.8	18.0	10.0	31.8	28.0	56.6	46.6	24.8	18.6
4	4.10753	20.0	10.6	10.1	30.1	20.7	56.0	46.0	25.9	25.3


Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 17 December, 1996

Model : LDC60F-2
Serial No. : 635226501S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 17 December, 1996 15:06

Model : LDC60F-2
Serial No. : 635226501S
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi

