



Ref. Certif. No.

JPTUV-051966-A1/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

Switching Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the manufacturer  
Nom et adresse du fabricant

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input: AC 100V-240V; 50-60 Hz; Class I  
0.24 A (for Model LFA15F-3R3)  
0.35 A (for all models except for Model LFA15F-3R3)  
Output: refer to the test report  
COSEL

Trademark (if any)  
Marque de fabrique (si elle existe)

N/A

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

Model / Type Ref.  
Ref. de type

LFA15F-x-y  
x = 3R3, 5, 12, 15 or 24  
y = J1, C, G, Y, S, SN, P1 or blank

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la 2<sup>ème</sup> page)

For model differences, refer to the test report.  
Re-issue of JPTUV-051966-A1 dated 16.07.2013,  
due to first modification.

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60065:2001+A1+A2  
National differences see test report

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

12029626 003

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Date: 17.02.2015

Signature:

Dipl.-Ing. (FH) M. Geiser


1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanilikawa-gun, Toyama  
930-0241 JAPAN
2. Taiyo Denshi Kogyo Co., Ltd.  
6-215-1 Tsukioka-machi  
Toyama-shi, Toyama  
939-8132 JAPAN
3. Kyousei Corp.  
501-1-2 Nakaoakubo  
Toyama-shi, Toyama  
939-2243 JAPAN
4. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 JAPAN
5. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 JAPAN
6. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 JAPAN
7. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 JAPAN
8. Eikoku Co., Ltd.  
45-6 Nishida Kaneoke, Kokufu-cho  
Takayama-shi, Gifu  
509-4123 JAPAN

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 12029626 003

Date: 17.02.2015

Signature:

  
Dipl.-Ing. (FH) M. Geiser



Ref. Certif. No.

JPTUV-051966-A1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

Switching Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the manufacturer  
Nom et adresse du fabricant

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input: AC 100V-240V; 50-60 Hz; Class I  
0.24 A (for Model LFA15F-3R3)  
0.35 A (for all models except for Model LFA15F-3R3)  
Output: refer to the test report

Trademark (if any)  
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

LFA15F-x-y  
x = 3R3, 5, 12, 15 or 24  
y = J1, C, G, Y, S, SN, P1 or blank  
For model differences, refer to the test report.  
Re-issue of JPTUV-051966 dated 26.06.2013,  
due to non-technical change.

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la 2<sup>ème</sup> page)

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60065:2001+A1+A2  
National differences see test report

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

12029626 002

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Date: 16.07.2013

Signature:

Dipl.-Ing. (FH) M. Geiser

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama  
930-0241 JAPAN
2. Taiyo Denshi Kogyo Co., Ltd.  
6-215-1 Tsukioka-machi  
Toyama-shi, Toyama  
939-8132 JAPAN
3. Eikoku Co., Ltd.  
1587 Nabari, Kokufu-cho  
Takayama-shi, Gifu  
509-4122 JAPAN
4. Kyousei Corp.  
501-1-2 Nakaoakubo  
Toyama-shi, Toyama  
939-2243 JAPAN
5. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 JAPAN
6. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 JAPAN
7. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 JAPAN
8. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 JAPAN

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 12029626 002

Date: 16.07.2013

Signature:

Dipl.-Ing. (FH) M. Geiser



Ref. Certif. No.

JPTUV-051966

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

Switching Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the manufacturer  
Nom et adresse du fabricant

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input: AC 100V-240V; 50-60 Hz; Class I  
0.24 A (for Model LFA15F-3R3)  
0.35 A (for all models except for Model LFA15F-3R3)  
Output: refer to the test report

Trademark (if any)  
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

LFA15F-x-y  
x = 3R3, 5, 12, 15 or 24  
y = J1, C, G, Y, S, SN, P1 or blank  
For model differences, refer to the test report.

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la 2<sup>ème</sup> page)

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60065:2001+A1+A2  
National differences see test report

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

12029626 001

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Date: 26.06.2013

Signature:

Dipl.-Ing. (FH) J. Taylor

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanilikawa-gun, Toyama  
930-0241 JAPAN
2. Taiyo Denshi Kogyo Co., Ltd.  
6-215-1 Tsukioka-machi  
Toyama-shi, Toyama  
939-8132 JAPAN
3. Eikoku Co., Ltd.  
1587 Nabari, Kokufu-cho  
Takayama-shi, Gifu  
509-4122 JAPAN
4. Kyousei Corp.  
501-1-2 Nakaoakubo  
Toyama-shi, Toyama  
939-2243 JAPAN
5. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 JAPAN
6. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 JAPAN
7. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 JAPAN
8. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 JAPAN

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 12029626 001

Date: 26.06.2013

Signature:



Dipl.-Ing. (FH) J. Taylor