



EXTRA TEST DATA OF LHA50F-48

*Regulated DC Power Supply
Feb 20, 2021*

COSEL CO.,LTD.




CONTENTS

| | |
|--|---|
| 1.Inrush Current (enlargement) | 1 |
| 2.Dynamic Line Regulation | 2 |
| 3.Overtoltage Protection (waveform) | 3 |
| 4.Hiccup cycle (by Overcurrent Protection) | 4 |
| 5.Figure of Testing Circuitry | 5 |

(Final Page 5)





COSEL

| | | | |
|--------|------------------------------|-------------------|------|
| | | | |
| Model | LHA50F-48 | | |
| Item | Inrush Current (enlargement) | Temperature | 25°C |
| Object | _____ | Testing Circuitry | A |



COSEL

| | | | |
|--------|-------------------------|-------------------|------|
| Model | LHA50F-48 | Temperature | 25°C |
| Item | Dynamic Line Regulation | Testing Circuitry | A |
| Object | _____ | | |




COSEL

| | | |
|--------|-------------------------|---|
| | | Temperature 25°C Testing Circuitry A Input Voltage : 100V |
| Model | LHA50F-48 | |
| Item | Over Voltage Protection | |
| Object | _____ | |

Output Voltage
[10V/div]

GND




Load : 0%

Overvoltage protection
value : 61.9V

Time
[40ms/div]

Output Voltage
[10V/div]


GND




Load : 100%

Overvoltage protection
value : 61.2V

Time
[20ms/div]



COSEL




Figure A