



EXTRA TEST DATA OF LHA75F-24

*Regulated DC Power Supply
Feb 20, 2021*

COSEL CO.,LTD.






CONTENTS

| | |
|--|---|
| 1.Inrush Current (enlargement) | 1 |
| 2.Dynamic Line Regulation | 2 |
| 3.Ovvervoltage Protection (waveform) | 3 |
| 4.Hiccup cycle (by Overcurrent Protection) | 4 |
| 5.Figure of Testing Circuitry | 5 |

(Final Page 5)




COSEL

| | | | |
|--------|------------------------------|-------------------|------|
| Model | LHA75F-24 | Temperature | 25°C |
| Item | Inrush Current (enlargement) | Testing Circuitry | A |
| Object | <hr/> | | |



COSEL

| | | | |
|--------|-------------------------|--|-----------|
| Model | LHA75F-24 | Temperature Testing Circuitry Object | 25°C A |
| Item | Dynamic Line Regulation | | |
| Object | _____ | | |




COSEL


| | | |
|--------|-------------------------|----------------------|
| Model | LHA75F-24 | Temperature 25°C |
| Item | Over Voltage Protection | Testing Circuitry A |
| Object | _____ | Input Voltage : 100V |

Output
Voltage
[5V/div]

GND




Load : 0%
Overvoltage protection
value : 31.3VTime
[40ms/div]Output
Voltage
[5V/div]

GND

Load : 100%
Overvoltage protection
value : 31.0VTime
[20ms/div]

COSEL

| | | | |
|--------|-----------------------|-------------------|---------|
| Model | LHA75F-24 | Temperature | 25°C |
| Item | Short Circuit Current | Testing Circuitry | A |
| Object | _____ | Load | : Short |

Output
Current
[2A/div]Output
Current
[2A/div]


COSEL

Figure A