



## DATA SHEET

Model		WBA35B-24	Date	16-Jul-21
Test		EMI Line conduction & Radiated emission	Temp.	25 degreeC
			Humid.	40 %RH
			Tested by	R.Takahashi




Frequency MHz	Line	Level dB(μV)		Limit dB(μV)		Margin dB		Pass/Fail	Remark
		QP	AV	QP	AV	QP	AV		
0.15	L1	63.4	47.9	66	56	2.6	8.1	Pass	
0.221	L1	54.9	39.6	62.8	52.8	7.9	13.2	Pass	
0.151	N	63	47.2	66	56	3	8.8	Pass	
0.222	N	55.1	40.2	62.7	52.7	7.6	12.5	Pass	




Frequency MHz	Polarization	Stability	Level dB(μV/m)		Margin dB	Pass/Fail	Height cm	Angle deg	Remark
			QP	QP	QP				
143.429	V	Stable	21.8	40	18.2	Pass	100.2	312.7	

DATA SHEET		Date	16-Jul-21
Model	Circuit used for measurement	Temp.	25 degreeC
Test	EMI Line conduction & Radiated emission	Humid.	40 %RH
		Tested by	R.Takahashi

## 1. Line conduction



## 2. Radiated emission




## Conditions

Test : EMI  
Model Name: WBA35B

## ○Photographs of Test Set-Up

### 1. LINE CONDUCTION



### 2. RADIATED EMISSION

