

RADIATED EMISSION

Model Name : YAS505E

Temperature : 25deg C

Model No. :

Humidity : 50%

Serial No. :

Comment : AC 230V, LOAD 100%

Detector : PEAK


Date : 1999/1/11 21:06

Bands : 3

EMI Receiver(s) : R3261A

Polarization : Hori. & Vert.

Limit1: [EN 55022] Class B<3m>



Frequency [MHz]	Meter Reading [dBµV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBµV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBµV/m]	Margin [dB]
53.550	52.0	6.2	-23.3	34.9	312	115	Vert.	40.0	5.1

RADIATED EMISSION

Model Name : YAS505E

Temperature : 25deg C

Model No. :

Humidity : 50%

Serial No. :

Comment : AC 230V, LOAD 100%

Detector : QP


Date : 1999/1/11 21:06

Points : 1

EMI Receiver(s) : ESPC

Polarization : Vertical

Limit1: [EN 55022] Class B<3m>




Frequency [MHz]	Meter Reading [dBµV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBµV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBµV/m]	Margin [dB]
53.550	52.0	6.2	-23.3	34.9	312	115	Vert.	40.0	5.1

LINE CONDUCTION

Model Name : YAS505E
 Model No. :
 Serial No. :
 Detector : PEAK
 Bands : 4
 Line Mode : VA/VB

Temperature : 25deg C
 Humidity : 50%
 Comment : AC230V,LOAD 100%
 Date : 1999/1/8 14:53
 EMI Receiver(s) : R3261A

Limit1: [EN 55022] Class B(QP)
 Limit2: [EN 55022] Class B(Ave.)




Frequency [MHz]	Meter Reading (QP) [dBµV]	Meter Reading (Ave.) [dBµV]	Factor [dB]	Level (QP) [dBµV]	Level (Ave.) [dBµV]	Line	Limit (QP) [dBµV]	Limit (Ave.) [dBµV]	Margin (QP)[dB]	Margin (Ave.) [dB]
11.3090	32.1	28.2	10.5	42.6	38.7	VA	60.0	50.0	17.4	11.3
0.2568	32.2	21.9	10.3	42.5	32.2	VB	61.5	51.5	19.0	19.3

LINE CONDUCTION

Model Name : YAS505E
 Model No. :
 Serial No. :
 Detector : QP/Ave.
 Points : 2
 Line Mode : VA/VB

Temperature : 25deg C
 Humidity : 50%
 Comment : AC230V,LOAD 100%
 Date : 1999/1/8 14:53
 EMI Receiver(s) : ESPC

Limit1: [EN 55022] Class B(QP)
 Limit2: [EN 55022] Class B(Ave.)



Frequency [MHz]	Meter Reading (QP) [dBµV]	Meter Reading (Ave.) [dBµV]	Factor [dB]	Level (QP) [dBµV]	Level (Ave.) [dBµV]	Line	Limit (QP) [dBµV]	Limit (Ave.) [dBµV]	Margin (QP)[dB]	Margin (Ave.) [dB]
11.3090	32.1	28.2	10.5	42.6	38.7	VA	60.0	50.0	17.4	11.3
0.2568	32.2	21.9	10.3	42.5	32.2	VB	61.5	51.5	19.0	19.3