


RADIATED EMISSION

Model Name : YAW512E Temperature : 25deg C
 Model No. : Humidity : 50%
 Serial No. : Comment : AC 230V LOAD 100%
 Detector : PEAK Date : 1999/1/12 19:03
 Bands : 8 EMI Receiver(s) : R3261A
 Polarization : Hori. & Vert.
 Limit1: [EN 55022] Class B<3m>



Frequency [MHz]	Meter Reading [dBµV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBµV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBµV/m]	Margin [dB]
58.595	52.9	4.9	-23.1	34.7	21	109	vert.	40.0	5.3

RADIATED EMISSION

Model Name : YAW512E

Temperature : 25deg C

Model No. :

Humidity : 50%

Serial No. :

Comment : AC 230V LOAD 100%

Detector : QP


Date : 1999/1/12 19:03

Points : 1

EMI Receiver(s) : ESPC

Polarization : Vertical

Limit1: [EN 55022] Class B<3m>




Frequency [MHz]	Meter Reading [dBµV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBµV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBµV/m]	Margin [dB]
58.595	52.9	4.9	-23.1	34.7	21	109	vert.	40.0	5.3

LINE CONDUCTION

Model Name : YAW512E
 Model No. :
 Serial No. :
 Detector : PEAK
 Bands : 4
 Line Mode : VA/VB

Temperature : 25deg C
 Humidity : 50%
 Comment : AC230V,LOAD 100%
 Date : 1999/1/8 14:14
 EMI Receiver(s) : R3261A

Limit1: [EN 55022] Class B(QP)
 Limit2: [EN 55022] Class B(Ave.)




Frequency [MHz]	Meter Reading (QP) [dBµV]	Meter Reading (Ave.) [dBµV]	Factor [dB]	Level (QP) [dBµV]	Level (Ave.) [dBµV]	Line	Limit (QP) [dBµV]	Limit (Ave.) [dBµV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.1500	35.6	26.4	10.3	45.9	36.7	VA	66.0	56.0	20.1	19.3
0.2519	30.7	20.9	10.3	41.0	31.2	VB	61.7	51.7	20.7	20.5
12.1644	30.8	29.8	10.5	41.3	40.3	VB	60.0	50.0	18.7	9.7

LINE CONDUCTION

Model Name : YAW512E
 Model No. :
 Serial No. :
 Detector : QP/Ave.
 Points : 3
 Line Mode : VA/VB

Temperature : 25deg C
 Humidity : 50%
 Comment : AC230V,LOAD 100%
 Date : 1999/1/8 14:14
 EMI Receiver(s) : ESPC

Limit1: [EN 55022] Class B(QP)
 Limit2: [EN 55022] Class B(Ave.)



Frequency [MHz]	Meter Reading (QP) [dBµV]	Meter Reading (Ave.) [dBµV]	Factor [dB]	Level (QP) [dBµV]	Level (Ave.) [dBµV]	Line	Limit (QP) [dBµV]	Limit (Ave.) [dBµV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.1500	35.6	26.4	10.3	45.9	36.7	VA	66.0	56.0	20.1	19.3
0.2519	30.7	20.9	10.3	41.0	31.2	VB	61.7	51.7	20.7	20.5
12.1644	30.8	29.8	10.5	41.3	40.3	VB	60.0	50.0	18.7	9.7